

ofita

FRESH PROGRAM

work desk

25 mm particle board. covered with duriter and edged with 1.5 mm pvc.

Ergonomic corner



45x45x2 mm rectangular tube for crossbeams and 50 x 50 x 1.5 mm. for the main beam coated with epoxy paint.

1.5 mm butted steel tube.

Separator in fabric, metaglas or glass. simple or framed.



CERTIFICATES



DIMENSIONS



QUICK FASTENING SYSTEM



- Links that offer reconfiguration, modularity and flexibility.

EASY ELECTRIFICATION



FINISHES

METAL STRUCTURE



WOOD BOARDS



LAMINATE BOARDS




PANEL UPHOLSTERING



FRESH PROGRAM

Bench

25 mm particle board Covered with Dúriter and edged with 1,5 mm PVC.



- Posts with slots for graduation in height shelves.

QUICK FASTENING SYSTEM



- Links that offer reconfiguration, modularity and flexibility.

EASY ELECTRIFICATION



FEATURES AND EQUIPMENT

- Structure can be totally disassembled.
- Possibility of incorporating table spacers (upholstered, Metaglas or glass).
- Possibility of electrification cover in aluminium or laminate, and incorporated gadget tray.
- Board with shaped at the front for a plug to pass through / Movable board.
- Screen and lamp holders.

FINISHES

METAL STRUCTURE



WOOD BOARDS



LAMINATE BOARDS



PANEL UPHOLSTERING




CERTIFICATES



FRESH PROGRAM

meeting table


The work surfaces in wood or laminate finishes are done with a natural 0.4 mm laminate sheet and the straight edge is covered in the same material.




Frames under the board made in 2mm thick, 45x45 mm square steel tubes.

Composed of supports made in 2mm thick steel tube, butted from 45 to 35 mm.


DIMENSIONS



L: 3000/2800/2600/2400  
W: 1000/1200




L: 1200/1400



Ø: 1100/1200/1300

EASY ELECTRIFICATION



FINISHES

METAL STRUCTURE



WOOD BOARDS



LAMINATE BOARDS



CERTIFICATES



FRESH PROGRAM


block with wheels



1 and 0.8 mm thick structure.

Drawers and facings in cold rolled 0.8 mm thick steel, coated in epoxy paint.

DIMENSIONS



FEATURES AND EQUIPMENT



- Lock with exchangeable cylinder.
- Filing tray with rails for hanging folders.
- Drawer catches with interlocking system to prevent opening more than one drawer at a time.
- Fifth roller in models with filing tray.
- Normal guide rails for drawers and sliding rails for trays.
- 80% extraction in drawer and sliding rails in tray.
- Articulated unbreakable key.

OPTIONS

- Master key.
- Organisation accessories. (office equipment tray, stamp tray, separators, trays, etc.).



FINISHES

METAL STRUCTURE



LAMINATE BOARDS



DIMENSIONS



ofita

## FRESH PROGRAM


table height block



0.8 and 1.5 mm thick structure.

Facings in cold rolled 0.8 mm-thick steel, coated in epoxy paint.

### DIMENSIONS




### FEATURES AND EQUIPMENT

- Lock with exchangeable cylinder.
- Filing tray with rails for hanging folders.
- Drawer catches with interlocking system to prevent opening more than one drawer at a time.
- Normal guide rails for drawers and sliding rails for trays.
- Articulated unbreakable key.

### OPTIONS

- Master key.
- Organisation accessories. (office equipment tray, stamp tray, separators, trays, etc.).



### FINISHES

#### METAL STRUCTURE



#### LAMINATE BOARDS



Rev. 01/2014

### CERTIFICATES



ofita

## FRESH PROGRAM


table height block

0.8 and 1.5 mm thick structure.



Facings in cold rolled 0.8 mm-thick steel, coated in epoxy paint.

## DIMENSIONS




## FEATURES AND EQUIPMENT

- Lock with exchangeable cylinder.
- Filing tray with rails for hanging folders.
- Drawer catches with interlocking system to prevent opening more than one drawer at a time.
- Normal guide rails for drawers and sliding rails for trays.
- Articulated unbreakable key.

## OPTIONS

- Master key.
- Organisation accessories. (office equipment tray, stamp tray, separators, trays, etc.).



## FINISHES

### METAL STRUCTURE



### LAMINATE BOARDS



Rév. 01/2014

## CERTIFICATES

