




ONE

ofita

Frame in 0.8 mm cold rolled steel.



Facings in 0.8 mm cold rolled steel.

Drawers in 0.8 mm cold rolled steel.




ONE | Individual

A high-performance filing solution to optimise office space. The range offers a high degree of versatility with its versions for personal filing: rolling blocks, with three drawers or a drawer and a filing tray.

The block includes a lock with an interchangeable barrel, a hinged key, a drawer lock equipped with a locking system that prevents the simultaneous opening of more than one drawer at a time and a fifth wheel in models with a filing tray for hanging folders. It increases its performance with optional organisation accessories such as carrier trays or pans, for example. Its quality and safety are certified.

Only available option **BLOCK WITH WHEELS**.



Features and equipment:

- Lock with exchangeable cylinder.
- Filing tray with rails for hanging folders.
- Drawer catches with interlocking system to prevent opening more than one drawer at a time.
- Fifth roller in models with filing tray.
- Normal guide rails for drawers and sliding rails for trays.

Options:

- Master key.
- Organisation accessories. (office equipment ray, stamp tray, spacers, trays, etc.).

Sides manufactured in 0.8 mm sheet steel
Grooved on both sides every 25 mm.

Hinged doors in 0.8 mm thick cold
rolled sheet steel.



The hinged doors may be
manufactured in wood or laminate.

Base manufactured in 1.0 mm sheet steel,
with levellers adjustable from the inside.

ONE | Departamental

A high-performance filing solution to optimise office space. The range offers a high degree of versatility with its different versions. A clean and robust design system that allows one to combine several materials to adapt to any environment. One is accredited by quality and safety certificates.

Only available option with **SWINGING DOORS**.



Features and equipment:

- Cabinet for the classification of hanging files, AZ, list paper, etc. directly on the shelf
- Interchangeability of components between cabinets.
- Multi-use shelves.
- Rack with graduation every 20 mm.
- Lock with articulated break-resistant key and interchangeable cylinder lock.
- Painted aluminium door pull.
- Soft closing hinge.


Options:

- Telescopic tray.
- Shelf dividers
- Wooden doors.
- Wooden shelves.
- Rear steel, laminate or upholstered.




DIMENSIONS

ONE | Individual



ONE | Departamental



FINISHES


METAL STRUCTURE



WOOD BOARDS



LAMINATE BOARDS



Finished Glossy.
Only vertical surfaces.



Customer service
902 11 46 12
marketing@ofita.com
www.ofita.com

ofita