



Facings in 0.8 mm cold rolled steel.



UNIVERSAL Individual

A competitive block of office drawers offering personalisation, with a wide range of finishes to create any working environment. Ideal both for large and small companies.

The system is comprised of two block models, rolling and desk support. The casing is made of laminated sheet steel and the doors can be made of wood or laminated steel.

Available with option BLOCK WITH WHEELS and TABLE HEIGHT BLOCK option.





Features and equipment:

- Lock with exchangeable cylinder.
- Filing tray with rails for hanging folders.
- Drawer catches with interlocking system to prevent opening more than one drawer at a time.
- Fifth roller in models with filing tray.
- Normal guide rails for drawers and sliding rails for trays.

Options:

- Master key.
- Organisation accessories. (office equipment ray, stamp tray, spacers, trays, etc.).
- Get standard or hidden get.





UNIVERSALDepartamental

A competitive filing system that offers personalisation, the utmost use of space and quick access to the objects. With a wide range of finishes of the metal structure, wood and laminated panels.

In addition, it is possible to choose different finishes to recreate any working environment.

Available with option with SWINGING DOORS and Open cupboard option.





Features and equipment:


- Cabinet for the classification of hanging files, AZ, list paper, etc. directly on the shelf
- Interchangeability of components between cabinets.
- Multi-use shelves.
- Rack with graduation every 20 mm.
- Lock with articulated break-resistant key and interchangeable cylinder lock.
- Shelves 1200 long manufactured in 0.8 mm thick steel.
- Shelves 800 and 1000 long manufactured in 0.7 mm thick steel.
- Painted aluminium door pull.
- Levelers internal drive.

Options:

- Telescopic tray.
- Shelf dividers.
- Duriter or wooden desktop.
- Desktop in sheet steel.
- Wooden doors.
- Wooden shelves.

DIMENSIONS

UNIVERSAL | Departamental



FINISHES



Finished Glossy.
Only vertical surfaces.

ISO 14006

BUREAU VERITAS

Certification







Customer service 902 11 46 12 marketing@ofita.com www.ofita.com

